Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	238	"4827508"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:56
L2	0	l1 and IPSec	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:57
L3	81	l1 and IP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:57
L4	64	l3 and secur$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:59
L5	38	("4827508" "4977594" "5050213" "5410598" "5530235" "5534975" "5629980" "5634012" "5638443" "5715403" "5892900" "5910987" "5915019" "5917912" "5920861" "5940504" "5943422" "5949876" "5982891" "5999949" "6112181" "6138119" "6157721" "6185683" "6237786" "6240185" "6253193" "6292569" "6363488" "6389402" "6427140" "6449367" "6618484" "6640304" "6658568" "668325" "6785815" "6832316").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:25
L6	6	"6668325"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:28
L7	22	("20010042043" "20020023214" "20020048369" "20020087859" "20020112171" "20020152173" "20030023856" "20030041239" "20030046244" "20030069748" "20030069749" "20030084003" "20030163431" "20040054630" "20040059951" "20040073813" "20040103305" "20040107356" "20040123129" "20040133793" "20050027871" "20050050332")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:49
L8	4	("20030105721" "20050060560" "20050060584" "20050108555")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:03
L10	435	("5920861" "4672572" "5319705" "6170016" "5818936")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:04
L11	105	l10 and ((application with program with interface) API)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:04

L12	54	l11 and (network with secur$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:05
L13	51	l12 and (encrypt$3 with (content data file event message))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:34
L14	1	"5818936".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:25
L15	1	"6170016".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:26
L16	1	"6170061".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:26
L17	13	"6289450"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:35
L18	11	l17 and Internet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:54
L19	94	"5920861"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:54
L20	74	l19 and database	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:54
L21	24	l19 and (content with database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:54
L22	20	l21 and encrypt$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 07:54
S1	1	"5818936".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/13 16:59
S2	1003	secure near2 transfer	USPAT	OR	ON	2004/01/10 12:32
S3	287	(secure near2 transfer) and server	USPAT	OR	ON	2004/01/09 09:09
S4	214	((secure near2 transfer) and server) and client	USPAT	OR	ON	2004/01/09 09:10
S5	47	(((secure near2 transfer) and server) and client) and (network with (API "application program interface"))	USPAT	OR	ON	2004/01/09 09:11
S6	3	(secure near2 transfer) and (security near2 tag)	USPAT	OR	ON	2004/01/09 09:29
S7	238	(secure near2 transfer) and integrity	USPAT	OR	ON	2004/01/09 09:29

S8	31	((secure near2 transfer) and integrity) and selector	USPAT	OR	ON	2004/01/09 09:30
S9	7	(((secure near2 transfer) and integrity) and selector) and @py<"2001"	USPAT	OR	ON	2004/01/09 09:31
S10	263	713/151	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:07
S11	42	713/151 and "network layer"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 09:34
S12	8	(713/151 and "network layer") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/13 16:58
S13	40	713/151 and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 09:35
S14	10	(713/151 and (secure with transfer)) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 09:35
S15	18	713/151 and selector	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:24
S16	373	713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:25
S17	34	713/151 and 713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:25
S18	12	(713/151 and 713/150) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:39
S19	108	713/150 and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:39
S20	12	(713/150 and @py<"2001") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/09 10:39
S21	1342	(secure near2 (header transfer))	USPAT	OR	ON	2004/01/10 12:33
S22	808	((secure near2 (header transfer))) and @py<"2000"	USPAT	OR	ON	2004/01/10 12:34
S23	0	(((secure near2 (header transfer))) and @py<"2000") and crptograph$4	USPAT	OR	ON	2004/01/10 12:34
S24	147	(((secure near2 (header transfer))) and @py<"2000") and encrypt$3	USPAT	OR	ON	2004/01/10 12:35

S25	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "security tag"	USPAT	OR	ON	2004/01/10 12:35
S26	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "Network application program interface"	USPAT	OR	ON	2004/01/10 12:36
S27	7	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "network layer"	USPAT	OR	ON	2004/01/10 12:37
S28	1293	secure near2 transfer	USPAT	OR	ON	2005/10/02 18:20
S29	458	(secure near2 transfer) and server	USPAT	OR	ON	2005/10/02 18:20
S30	344	((secure near2 transfer) and server) and client	USPAT	OR	ON	2005/10/02 18:20
S31	65	(((secure near2 transfer) and server) and client) and (network with (API "application program interface"))	USPAT	OR	ON	2005/10/02 18:20
S32	3	(secure near2 transfer) and (security near2 tag)	USPAT	OR	ON	2005/10/02 18:20
S33	332	(secure near2 transfer) and integrity	USPAT	OR	ON	2005/10/02 18:20
S34	49	((secure near2 transfer) and integrity) and selector	USPAT	OR	ON	2005/10/02 18:20
S35	7	(((secure near2 transfer) and integrity) and selector) and @py<"2001"	USPAT	OR	ON	2005/10/02 18:20
S36	421	713/151	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S37	54	713/151 and "network layer"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S38	10	(713/151 and "network layer") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S39	56	713/151 and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S40	1	(713/151 and (secure with transfer)) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S41	25	713/151 and selector	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S42	605	713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20

S43	51	713/151 and 713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S44	9	(713/151 and 713/150) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S45	41	713/150 and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S46	5	(713/150 and @py<"2001") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S47	1661	(secure near2 (header transfer))	USPAT	OR	ON	2005/10/02 18:20
S48	808	((secure near2 (header transfer))) and @py<"2000"	USPAT	OR	ON	2005/10/02 18:20
S49	0	(((secure near2 (header transfer))) and @py<"2000") and crptograph$4	USPAT	OR	ON	2005/10/02 18:20
S50	147	(((secure near2 (header transfer))) and @py<"2000") and encrypt$3	USPAT	OR	ON	2005/10/02 18:20
S51	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "security tag"	USPAT	OR	ON	2005/10/02 18:20
S52	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "Network application program interface"	USPAT	OR	ON	2005/10/02 18:20
S53	7	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "network layer"	USPAT	OR	ON	2005/10/02 18:20
S54	1	"5818936".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:20
S55	1293	secure near2 transfer	USPAT	OR	ON	2005/10/02 18:37
S56	458	(secure near2 transfer) and server	USPAT	OR	ON	2005/10/02 18:37
S57	344	((secure near2 transfer) and server) and client	USPAT	OR	ON	2005/10/02 18:37
S58	65	(((secure near2 transfer) and server) and client) and (network with (API "application program interface"))	USPAT	OR	ON	2005/10/02 18:37
S59	3	(secure near2 transfer) and (security near2 tag)	USPAT	OR	ON	2005/10/02 18:37
S60	332	(secure near2 transfer) and integrity	USPAT	OR	ON	2005/10/02 18:37
S61	49	((secure near2 transfer) and integrity) and selector	USPAT	OR	ON	2005/10/02 18:37

S62	7	(((secure near2 transfer) and integrity) and selector) and @py<"2001"	USPAT	OR	ON	2005/10/02 18:37
S63	421	713/151	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S64	54	713/151 and "network layer"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S65	10	(713/151 and "network layer") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S66	56	713/151 and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S67	1	(713/151 and (secure with transfer)) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S68	25	713/151 and selector	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S69	605	713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S70	51	713/151 and 713/150	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S71	9	(713/151 and 713/150) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S72	41	713/150 and @py<"2001"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S73	5	(713/150 and @py<"2001") and (secure with transfer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37
S74	1661	(secure near2 (header transfer))	USPAT	OR	ON	2005/10/02 18:37
S75	808	((secure near2 (header transfer))) and @py<"2000"	USPAT	OR	ON	2005/10/02 18:37
S76	0	(((secure near2 (header transfer))) and @py<"2000") and crptograph$4	USPAT	OR	ON	2005/10/02 18:37
S77	147	(((secure near2 (header transfer))) and @py<"2000") and encrypt$3	USPAT	OR	ON	2005/10/02 18:37
S78	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "security tag"	USPAT	OR	ON	2005/10/02 18:37

S79	0	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "Network application program interface"	USPAT	OR	ON	2005/10/02 18:37
S80	7	((((secure near2 (header transfer))) and @py<"2000") and encrypt$3) and "network layer"	USPAT	OR	ON	2005/10/02 18:37
S81	1	"5818936".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/02 18:37